SAFETY DATA SHEET

This SDS Complies With 29 CFR 1910.1200 (The Hazard Communication Standard)

****

Section I - Product & Company Identification

Product identifier

Product name : 100 SOLVENT
Product form: Liquid
Other means of identification: R04020
Relevant identified uses of the substance or mixture: Solvent

Details of the supplier of the safety data sheet

Eaton Chemical, Inc.
4124 NW Riverside Street Riverside, MO 64150
Phone: (816) 741-7985
Fax: (816) 741-0405
Email: custserv@eatonchemical.com

Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

Section II – Hazards Identification

Classification

Flammable liquid (Category 3)
Carcinogen (Category 2)
Specific target organ toxicity(Single exposure), Category 3(Central nervous system, respiratory irritant.)
Aspiration hazard (Category 1)
Pictogram



Signal Word

DANGER !

Hazard Statements

Flammable liquid and vapor.
May be fatal if swallowed and enters airways.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Suspected of causing cancer

Precautionary Statements – Prevention

Obtain special instructions before use. Do not handle until all safety precautions are read and understood.
Keep away from open flames/hot surfaces- No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wear protective gloves/protective clothing/eye protection/face protection
Wash exposed skin thoroughly after handling.
Avoid breathing mist/vapors/spray.
Use only outdoors or in a well ventilated area.

Precautionary Statements – Response

In case of fire: Consider carbon dioxide, dry chemical, dry sand or alcohol resistant foam to extinguish.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs
IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash skin with plenty of soap and water. If irritation occurs get medical advice/attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER/doctor if you feel unwell.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting.

Precautionary Statements – Storage

Store in a well ventilated place. Keep cool. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Section III –Composition/Information on ingredients

Mixture

Name	CAS NO.	%
Solvent naphtha (Petroleum), light aromatic	64742-95-6	99-100
Contains: Cumene	98-82-8	< 1.1
1,2,4-Trimethylbenzene	95-63-6	< 32
Xylenes	1330-20-7	< 2.2

Any concentration shown as a range is to protect confidentiality or is due to process variation.

Section IV – First Aid Measures

First Aid Measures

Inhalation: Remove to fresh air. If breathing stops, provide artificial respiration. If symptoms persist, call a physician.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.

Ingestion: Rinse mouth. Call a POISON CENTER or doctor/physician. Immediate medical attention required.

Skin Contact: Remove contaminated clothing, wash with plenty of water. If skin irritation persists, call a physician.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms

Causes skin dryness and irritation.

May be fatal if swallowed and enters airways.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians: Treat symptomatically.

Section V – Fire Fighting Measures

Suitable Extinguishing Media

Alcohol resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media: High volume water jet.

Specific Hazards Arising from the Chemical

Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, NIOSH approved and full protective gear.

Section VI –Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe area.

Methods and Material for Containment and Cleaning Up

Methods for Containment: Prevent further leakage or spillage if safe to do so. Contain spillage.

Methods for Cleaning Up: Collect with an electrically protected vacuum or by wet-brushing and place in container for disposal. Keep in suitable, closed containers for disposal.

Section VII – Handling & Storage

Precautions for Safe Handling

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.

Section VIII – Exposure Controls/ Personal Protection

Exposure Guidelines:

Chemical Name	CAS #	ACGIH TLV	OSHA PEL	NIOSH TWA
Solvent naphtha (Petroleum), light aromatic	64742-95-6	No data available	No data available	No data available
Contains: Cumene	98-82-8	50 ppm	50 ppm 245 mg/m^3	No data available
1,2,4-Trimethylbenzene	95-63-6	25 ppm		No data available
Xylenes	1330-20-7	TWA 100 ppm STEL 150 ppm	100 ppm 435 mg/m^3	No data available

Engineering Controls: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Respiratory Protection: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Eye Protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Hand Protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Skin Protection: Prevent contact with shoes and clothing; use rubber apron and overshoes.

Other Protective Equipment: Eye wash stations and emergency showers should be available. The type and degree of personal protective equipment appropriate will depend on the specific work operation. Inspect and replace personal protective equipment at regular intervals; use professional care in their selection, use and care.

Section IX – Physical & Chemical Properties

Information on Basic Physical and Chemical Properties

Physical State	Liquid
Color	Colorless

Property	**Values**
pH	No data available
Melting Point/Freezing Point	-14 º C(7 º F)
Boiling Point/Boiling Range	161-171º C (322-340 º F)
Flash Point	46º C (155º F) TCC
Evaporation Rate	0.27
Flammability (Solid,Gas)	n/a-liquid
Upper Flammable Limits	6.2 % (V)
Lower Flammable Limits	0.9% (V)
Vapor Pressure	2.02(mm Hg)
Vapor Density	4.2
Specific Gravity	0.87
Water Solubility	Negligible
Solubility in Other Solvents	No data available
Partition Coefficient	No data available
Autoignition Temperature	485 º C (905 º F)
Decomposition Temperature	No data available
Kinematic Viscosity	0.75 mm2/sec (0.75 cSt),@ 40 º C (104 º F)
Dynamic Viscosity	No data available
Explosive Properties	Not an Explosive
Oxidizing Properties	No data available
Odor	Aromatic
Odor Threshold	No data available

Section X – Stability & Reactivity

Reactivity
Not reactive under normal conditions.
Chemical Stability
Stable under recommended storage conditions.
Possibility of Hazardous Reactions
Reacts with strong oxidizing agents.
Conditions to Avoid
Heat, sparks, flames.
Extremes of temperature and direct sunlight.
Incompatible Materials Strong oxidizing agents, strong acids, caustics..
Hazardous Decomposition Products
Carbon dioxide, carbon monoxide.

Section XI - Toxicological information

Information on Likely Routes of Exposure

Product Information
Inhalation: Avoid breathing vapors or mists.
Eye Contact: Causes eye irritation
Skin Contact: Avoid contact with skin.
Ingestion: Harmful if swallowed.

Chemical Name	CAS #	Oral LD50	Dermal LD50	Inhalation LC50
Distillates(Petroleum), hydrotreated light	64742-47-8	3492 mg/kg (Rat)	>3160 mg/kg (Rabbit)	6193 mg/kg (Rat) 4 h

Chemical Name	Distillates(Petroleum), hydrotreated light
Skin corrosion/irritation	Mild irritation
Serious eye damage/irritation	Mild irritation
Respiratory or skin sensitization	Not expected to be a sensitizer
Mutagenicity	Not mutagenic.
Carcinogenicity	Relevance to humans is uncertain
Reproductive toxicity	No known significant effects
Specific target organ toxicity-Single exposure	May cause drowsiness or dizziness, respiratory irritation
Specific target organ toxicity-repeated exposure	Not classified
Aspiration hazard	Aspiration hazard

Section XII - Ecological information

There is no data available for this product as a whole.

Persistence and Degradability
Expected to be readily biodegradable.
Bioaccumulation
No data available
Mobility
Highly volatile, will partition rapidly to air. Not expected to partition to sediment and wastewater solids.

Section XIII - Disposal considerations

WASTE DISPOSAL METHOD
Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State. Avoid discharge to sewers or waterways.

Section XIV - Transport information

DOT Proper Shipping Description:
Non-Bulk: Not regulated as a dangerous goods.

Section XV - Regulatory information

SARA Title III Section 311/312 (40CFR370): Fire acute and chronic health hazards.
SARA Title III Section 313 (40CFR372):1,2,4-trimethylbenzene, xylenes, cumene
CERCLA Status (40CFR302): Cumene(5000 Lbs.), Xylenes(100 Lbs.)
RCRA Status(40CFR261.33): Not listed
TSCA Inventory Status: Included
OSHA/NTP/IARC Carcinogen Status: Cumene listed
Canadian DSL Status: Listed
Chemicals Known to the State of California to Cause Cancer or Reproductive Toxicity:
This material is known to contain chemicals currently listed as carcinogens or reproductive toxins.Cumene

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Distillates(Petroleum), hydrotreated light	Not listed	Not listed	Not listed
Contains: Cumene	X	X	X
1,2,4-Trimethylbenzene	X	X	X
Xylenes	X	X	X

Section XVI - Other information

HMIS ratings: Health: 2 Flammability: 2 Reactivity: 0
Indication of changes: Revision – 1
Date Sheet Prepared: 06/15/017
Other information: Author – EHS Administrator

****

The information herein is presented in good faith and believed to be correct as of the date hereof. However, the manufacturer makes no representation as to the completeness and accuracy thereof. Users must make their own determination as to the suitability of the product for their purposes prior to use.
No representations or warranty's, either express or implied of merchantability, fitness for a particular purpose or of any other nature with respect to the product or to the information herein is made hereunder. The manufacturer shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication or use of or reliance upon information contained herein.

END OF SDS